		Resistancy	
Technical baths	not resistant	limited resistant	resistant
photochemical baths	Χ		
electroplanting baths	X		

		Resistancy	
Building materials and building protectives	not resistant	limited resistant	resistant
hot bitumen		Χ	
cold bitumen	X		
gypsum			X
mortar			Χ
cement			X

		Resistancy	
Chemicals, solvents, etc general chemicals	not resistant	limited resistant	resistant
acetone	Χ		
accumulator acid			Χ
aluminum chloride			Χ
aluminium sulfate			Χ
ammonia water			Χ
ammonium sulfate			Χ
arsenic			Χ
aresenic acid			Χ
ether	X		
benzaldehyde	Χ		
petrol, pure			X
benzene	Χ		
bromine	Χ		
1-butanol	X		
butyric acid, up to 5%			X
calcium chloride			Χ
calciumhypochlorite			Χ
chlorine, liquid	Χ		
chlorethyl ether	Χ		
chlorinated hydrocarbons	Χ		

		Resistancy	
Chemicals, solvents, etc general chemicals	not resistant	limited resistant	resistant
chlorophenol	X		
chlorine water		Χ	
cyclohexane			Χ
diacetone alcohol	X		
diamyl phthalat		Χ	
diethylene glycol			Χ
dibutyl phthalate	X		
dioctyl phthalate	X		
dioxan			Χ
ferric-Il-chloride			Χ
ferric-III-chloride			Χ
ethanole, up to 30%	X		
ethanole, concentrated	X		
ethyl acetate	X		
ethyl bromide	X		
ethyl butyrate	X		
ethylene bromide	X		
acetic acid, up to 25%	X		
acetic acid, conc.			Χ
glycerol			Χ
glycol			Χ
uric acid, up to 20%			Χ
heptane	X		
hexane	X		
lodine, metallic			Χ
potassium bichromate			Χ
potassium carbonate			Χ
potassium chloride			Χ
potassium cyanide			Χ
potassium nitrate			Χ
potassium permangenate			X
milk of lime			Χ
cresol			Χ
copper sulfate			Χ
manganese sulfate			Χ

		Resistancy	
Chemicals, solvents, etc general chemicals	not resistant	limited resistant	resistant
magnesium chloride			Χ
magnesium sulfate	X		
methyl ethyl ketone		Χ	
methanol, up to 30%	X		
methanol, conc.	X		
lactic acid, up to 20%	X		
butyl lactate			Χ
sodium bisulfite			Χ
sodium carbonate			Χ
sodium chlorate			Χ
sodium chloride			Χ
sodium hypochlorite			Χ
sodium sulfate			Χ
sodium sulfide			Χ
sodium hydroxide solution			Χ
nickel sulfate	X		
oxalic acid			Χ
perchlorethylene	X		
petrol ether			Χ
petroleum		Χ	
phenols	X		
phosphorus, white	X		
Phosphroric acid, up to 10%			Χ
phosphorus trichloride	X		
picric acid, 1% in water			Χ
2-propanole		X	
propylene			X
mercury			Χ
nitric acid, up to 20%			X
nitric acid, over 70%	X		
hydrochloric acid, 2%			X
sulphur			X
sulphur dioxide, liquid	X		
carbon disulfide	X		
sulphuric acid, up to 30%			Χ

		Resistancy	
Chemicals, solvents, etc general chemicals	not resistant	limited resistant	resistant
sulphurous acid, up to 5%			Χ
sulphurous acid, conc.		X	
soap solution			Χ
silver nitrate			Χ
soda			Χ
industrial spirit	X		
stearic acid			Χ
sulphuryl chloride			Χ
terpentine oil			Χ
terpentine supstitute		X	
toluene	X		
trichloroacetic acid	X		
hydrogene peroxide, up to 40%			Χ
hydrogene peroxide, over 40%		X	
tartaric acid, up to 50%			Χ
xylene	X		
zinc sulfate, solid			Χ
zinc sulfate, aqueous			Χ
stannous chloride			X
citric acid, up to 20%			Χ

		Resistancy	
Desinfectants - branded products	not resistant	limited resistant	resistant
®BAKTOLAN, up to 5%			Χ
®BAKTOLAN, conc.	Χ		
®CHLORAMIN, solution			X
®ELMOCID GAMMA, up to 2%			X
®MEFAROL, up to 1%			X
®MERCKOJOD, up to 1%			X
®MERFEN			X
®PERHYDROL			X
®PERODIN X			X
®SAGROTAN, up to 2%			X
®SAGROTAN, up to 5%		Χ	
®ZEPHIROL, up to 5			Χ

		Resistancy	
Fats, oils, waxes	not resistant	limited resistant	resistant
mineral			Χ
vegetable			Χ
animal			Χ
silicone oil		X	

		Resistancy	
Beverages, etc.	not resistant	limited resistant	resistant
beer, wine			Χ
fruit juice, milk, coffee			Χ
chocolate			X
camomile extract			X
tablde vinegar			X
alcoholic drinks up to 30%		X	
water, mineral water			X

		Resistancy	
Adhesives and sealants	not resistant	limited resistant	resistant
acrylate sealing compound	X		
all-purpose adhesive		X	
sealing strips (@EGO-FERM, TEROSTAT 81/86)			X
insulating tape			X
®PATTEX-special glue		X	
®PERBUNAN			X
®PLEXIT		X	
®PLEXISOL-adhesive		X	
®PLEXTOL-adhesive			X
polyurethane-sealing compound	X		
silicone rubber		Χ	

		Resistancy	
Body care and beauty aids	not resistant	limited resistant	resistant
®DIPLONA-hair oil			Χ
face tonic	Χ		
glycerine			Χ
camohor	Χ		
seawater			Χ
peaty water			Χ
nail varnishes	Χ		
nail varnish remover	Χ		
ointments			Χ
soaps			Χ
sprays		X	

		Resistancy	
Plastics	not resistant	limited resistant	resistant
rubber			Χ
rubber, plasticised	X		
polyamide			Χ
polyethylene			Χ
PVC			Χ
PVC, plasticised	Χ		
foam plastics			Χ
foam plastics, plasticised	X		

		Resistancy	
Food and spices	not resistant	limited resistant	resistant
anis, laurel, nutmeg			Χ
bee honey, pure			Χ
meat, fish			Χ
common salt			Χ
pickles			Χ
cloves	Χ		
pepper, cinnamon, onions			Χ
ice cream			Χ

	Resistancy		
Cleaning agents - general	not resistant	limited resistant	resistant
alcohol, up to 30		X	
alcohol, conc.	X		
petrol, pure			Χ
petrol, containing aromatic substances	X		
bleach			Χ
stain remover	X		
perchlorethylene	X		
petroleum		X	
animonia solution			Χ
soap water			Χ
soda water			Χ
industrial spririt	X		
terpentine oil			Χ
terpentine replacement		Χ	
carbon tetrachloride	Χ		
tri	Χ		

	Resistancy		
Cleaning agents - branded products	not resistant	limited resistant	resistant
®AJAX			X
®BÖTTCHERIN			X
®BURNUS			Χ
®FEWA			X
®FRAPPIN			Χ
®FÜLLBOX			Χ
antistatic plastics cleaner and curator			Χ
®LAVAPLEX			Χ
®PERSIL			X
®PLEXIKLAR			Χ
®PRIL			Χ
®REI			Χ
®SEIFIX			Χ
®SIDOLIN		Χ	

		Resistancy	
Cleaning agents - branded products	not resistant	limited resistant	resistant
®SPECTROL		Χ	
®SPÜLI		X	
®WC-00			Χ
®FEWA			X

		Resistancy	
Various	not resistant	limited resistant	resistant
urine			X