





Caroline 2
Art. Nr. 9904400 /
4022299018.20.1
1/5



15.02.2021





You can choose the location of the doors and windows by cutting the wall logs as shown in the picture (see the dotted line).


Dafür sind aber werksseitig keine aussparungen vorgesehen so dass sie sowohl Fenster als auch Tür individuell verbauen können. eine anleitung hierfür entnehmen sie bitte der Montageanleitung (siehe bild).

Vous pouvez choisir l'emplacement des portes et des fenêtres en coupant les madriers du mur comme indiqué sur les images (voir les lignes pointillées)

Possibilità di scegliere dove posizionare le porte e le pareti secondo l'immagine (linee tratteggiate)




U kunt de locatie van de deuren en ramen kiezen door de muurblokken er uit te zagen, zoals in de afbeeldingen staat weergegeven (zie de stippellijnen)


Uste ja akende asukoht on võimalik ise valida. Avatäited tuleb lõigata joonistel näidatud mõõtudes (vaadake punktiirooni).











120x44 L=2520 mm 2 tk
120x28 L=542 mm 8 tk







[illegible]


Pos	11.11.2018	Piece list - Stückliste - Liste des pièces - Elementi - Stuklijst - Tükitabel 540x540 AK.1.104.TPSP.d DGP+	1/1	Q	P (mm)	L (mm)
		Glass size - Glasgröße - Taille de la vitre - Misura del vetro - Glas afmeting - Klaasi mõõt: 370x362 mm   440x444 mm				
FS2		Window handle fittings - Fenstergriff - Poignée de fenetre - Maniglia c/ferramenta - Raamhendel -/grendel -/klink - Aknalink 		1		
HS1		Screw for georgian bars - Schraube für sprossen - Vis pour croisillons - Viti per unire la griglia georgiana della finestra - Schroeven voor raamverdeling - Kruvi akna petteliistule 		4	2.5x20	


Pos	Piece list - Stückliste - Liste des pièces - Elementi - Stuklijst - Tükítabel 16.03.2018 882x882 AK.1.109.TPSV.b DGP+	1/1	Q	P (mm)	L (mm)
	Glass size - Glasgröße - Taille de la vitre - Misura del vetro - Glas afmeting - Klaasi mõõt: 712x704 mm 782x786 mm				
FS2	Window handle fittings - Fenstergriff - Poignée de fenetre - Maniglia c/ferramenta - Raamhendel -/grendel -/klink - Aknalink		1		
HS1	Screw for georgian bars - Schraube für sprossen - Vis pour croisillons - Viti per unire la griglia georgiana della finestra - Schroeven voor raamverdeling - Kruvi akna petteliistule		8	2.5x20	

Pos	Piece list - Stückliste - Liste des pièces - Elementi - Stuklijst - Tükitabel 27.11.2017 1290x882 TAK.1.106.TPSP.a DGP+	1/1	Q	P (mm)	L (mm)
	Glass size - Glasgröße - Taille de la vitre - Misura del vetro - Glas afmeting - Klaasi mõõt: 515x704 mm   1190x786 mm				
FS2	Window handle fittings - Fenstergriff - Poignée de fenetre - Maniglia c/ferramenta - Raamhendel -/grendel -/klink - Aknalink		1		
HS1	Screw for georgian bars - Schraube für sprossen - Vis pour croisillons - Viti per unire la griglia georgiana della finestra - Schroeven voor raamverdeling - Kruvi akna petteliistule		12	2.5x20	
HS4	Screw for window fillet - Schraube für glasleiste - Vis de filet de fenetre - Vite per assemblaggio finestra - Schroef voor glaslijst - Kruvi akna kokkuvaltšiliistule		3	3x30	

Pos	26.03.2018	Piece list - Stückliste - Liste des pièces - Elementi - Stuklijst - Tükitabel 835x1900 UK.2.056.TPVP.MMWd DGP+	1/1	Q	P (mm)	L (mm)
	Glass size - Glasgröße - Taille de la vitre - Misura del vetro - Glas afmeting - Klaasi mõõt: 561x855 mm   735x1818 mm					
HS1	Screw for georgian bars - Schraube für sprossen - Vis pour croisillons - Viti per unire la griglia georgiana della finestra - Schroeven voor raamverdeling - Kruvi ukse petteliistule			6	2.5x20	
HS16	Screw for door jamb - Schraube für türrahmen - Vis de fixation partie haute avec montants du cadre de porte - Viti x fissaggio montanti porte - Schroef voor deurkozijn - Kruvi ukse lengile			4	5x90	
HS25	Screw for doorstep - Schrauben für swelle - Vis pour fixation barre de seuil - Vite per soglia della porta - Schroef voor deurdorpel - Kruvi lävepakule			2	4.5x65	
TL4	Door handle fittings - Türgriff - Poignee de porte - Maniglie - Deurhendel / klink - Ukse käepide VU			1		
TL5	Set of door lock covers - Schlossblenden - Set de garnitures de porte - Copertura serrature - Slot sluitplaat set - Ukse lukuplaat			1		
	Cylinder lock - Zylinderschloss - Barillet de porte - Serratura - Cylinder slot - Ukse lukusüdamik			1	30x35	
	Male bolt hinge for door - Türband - Partie male de paumelle de porte - Cerniera anube x porta - Scharnier bout - Ukse polthing isane			3		
HC	Covers for door hinges - Schutzkappe für türband - Couverture de paumelle de porte - Copertura delle cerniere della porta - Afdek kap voor deurscharnier - Reguleeritava polthinge kate			6		

Pos	Piece list - Stückliste - Liste des pièces - Elementi - Stuklijst - Tükítabel 27.03.2018 2658x1957 3UK.1.100.TPVP.MMc DGP+ 1/2	Q	P (mm)	L (mm)
	Glass size - Glasgröße - Taille de la vitre - Misura del vetro - Glas afmeting - Klaasi mõõt: 514x1593 mm  1394x1873 mm 			
FS2	Window handle fittings - Fenstergriff - Poignée de fenetre - Maniglia c/ferramenta - Raamhendel -/grendel -/klink - Aknalink		2	
HS12	Screw for door covering moulding - Schrauben für deckungsprofil - Vis de fixation profils de finition verticaux a fixer a l'extérieur du cadre de la porte - Viti per fissaggio profili di finitura verticali delle porte - Schroeven voor deurafdeklijst - Kruvi tuulelaudadele		10	4x40
HS4	Screw for door fillet - Schraube zur befestigung türleiste - Vis pour fixation baguette d'arret de porte - Viti per massellino della porta - Schroef voor deurlijst - Kruvi ukse kokkuvaltsiliistule		5	3x30
HS16	Screw for door jamb - Schraube für türrahmen - Vis de fixation partie haute avec montants du cadre de porte - Viti x fissaggio montanti porte - Schroef voor deurkozijn - Kruvi ukse kokkuvaltsiliistule		8	5x90
HS25	Screw for doorstep - Schrauben für swelle - Vis pour fixation barre de seuil - Vite per soglia della porta - Schroef voor deurdorpel - Kruvi lävepakule		3	4.5x65
MH	Male bolt hinge for door - Türband - Partie male de paumelle de porte - Cerniera anube x porta - Scharnier bout - Reguleeritav polthing isane		6	14x80
HC	Covers for door hinges - Schutzkappe für türband - Couverture de paumelle de porte - Copertura delle cerniere della porta - Afdek kap voor deurscharnier - Reguleeritava polthinge kate		12	
TL4	Door handle fittings - Türgriff - Poignée de porte - Maniglie - Deurhendel / klink - Ukse käepide		1	
TL5	Set of door lock covers - Schlossblenden - Set de garnitures de porte - Copertura serrature - Slot sluitplaat set - Ukse lukuplaat		1	
	Cylinder lock - Zylinderschloss - Barillet de porte - Serratura - Cylinder slot - Ukse lukusüdamik		1	30x35
	Striker for barrel bolt - Hülse für grendelriegel - Gache au sol du targette - Boccola per fermo della porta - Huls voor vergrendelingsschuif - Vasturaud ukse servariivile		2	

Pos	27.03.2018 Piece list - Stückliste - Liste des pièces - Elementi - Stuklijst - Tükitabel 2658x1957 3UK.1.100.TPVP.MMc DGP+ 2/2	Q	P (mm)	L (mm)
	 The diagram illustrates a window frame assembly. At the top, a horizontal bar is shown with five diagonal lines indicating fasteners. Below this, a central horizontal bar is labeled 'HS16' at both ends. To the right of this bar, a vertical component is labeled 'HS12'. On the left and right sides, there are two vertical window units, each containing a glass pane with three diagonal lines. Below these units, a horizontal bar is labeled 'HS16' at both ends. Arrows indicate the assembly direction for the central and bottom bars.			

Pos	15.02.2021 Piece list - Stückliste - Liste des pièces - Elementi - Stuklijst - Tükitalabel 1745x446 2+ 1/1	Q	P (mm)	L (mm)
	Glass size - Glasgröße - Taille de la vitre - Misura del vetro - Glas afmeting - Klaasi mõõt: 1596x408 mm  The image is a technical drawing of a triangular glass panel. It is an isosceles triangle with a horizontal base. Six small circles, representing mounting points or fasteners, are distributed across the triangle: two are located on the left sloped side, two on the right sloped side, and two are positioned along the horizontal base. The drawing is a simple line sketch with no shading or color.			