







[illegible]

Pos	11.06.2024	Piece list - Stückliste - Liste des pièces - Elementi - Stuklijst - Tükitabel 2021x2000 ALP.2S.2R.P RAL 7016	1/1	Q	P (mm)	L (mm)
		Glass size - Glasgröße - Taille de la vitre - Misura del vetro - Glas afmeting - Klaasi mõõt: 926x1859 mm				












04




04







05




05






06




$A=B$




07

A




08







B





B


A




Pos	02.08.2024	Piece list - Stückliste - Liste des pièces - Elementi - Stuklijst - Tükitabel 2021x2000 ALP.2S.2R.V RAL7016	1/1	Q	P (mm)	L (mm)
	Glass size - Glasgröße - Taille de la vitre - Misura del vetro - Glas afmeting - Klaasi mõõt: 926x1859 mm				 950x1930 mm	
						
12	Upper door jamb - Türrahmen oben - Cadre de porte supérieur - Telaio superiore della porta - Bovendorpel - Ukse ülemine leng		1	35x60	1982	
9	Doorstep - Swelle - Seuil de porte - Callare - Drempel - Lävepakk ukseavale		1	35x60	1982	
10R-11R	Door jamb - Türrahmen - Cadre de porte - Telaio montante della porta - Deurframe - Ukse leng		2	32x63	2000	
5	Door - Tür - Porte - Porte - Deur - Uks		1			
6	Door - Tür - Porte - Porte - Deur - Uks		1			
LV	Stricker for lock - Schließblech für türschloss - Gache de porte - L'attaccante piastra - Sluitplaat voor deurslot - Lukuvastus		1			
HS90	Screw for striker plate - Schraube für halteplatte - Vis de fixation gache de porte - Vite per cerniera a piastra - Schroef voor slotplaat - Kruvi ukse luku vasturauale		2	4x25		
HS33	Screw for door jamb - Schraube für türrahmen - Vis de fixation partie haute avec montants du cadre de porte - Viti x fissaggio montanti porte - Schroef voor deurkozijn - Kruvi ukse lengile		8	5x40		









04




04






05


5




05


5





06





$A=B$

07

A

08







B


HS90


LV


B


A

Pos	13.06.2024	Piece list - Stückliste - Liste des pièces - Elementi - Stuklijst - Tükitalabel 3039x2000 ALP.3S.3R.V RAL7016	1/1	Q	P (mm)	L (mm)
	Glass size - Glasgröße - Taille de la vitre - Misura del vetro - Glas afmeting - Klaasi mõõt: 926x1859 mm Glass size - Glasgröße - Taille de la vitre - Misura del vetro - Glas afmeting - Klaasi mõõt: 984x1859 mm					 1903x1930 mm
						
18	Upper door jamb - Türrahmen oben - Cadre de porte supérieur - Telaio superiore della porta - Bovendorpel - Ukse ülemine leng			2	35x90	1500
15	Doorstep - Swelle - Seuil de porte - Callare - Drempe - Lävpack ukseavale			2	35x90	1500
16-17	Door jamb - Türrahmen - Cadre de porte - Telaio montante della porta - Deurframe - Ukse leng			2	32x93	2000
4	Door - Tür - Porte - Porte - Deur - Uks					
5	Door - Tür - Porte - Porte - Deur - Uks					
6	Door - Tür - Porte - Porte - Deur - Uks					
LV	Stricker for lock - Schließblech für türschloss - Gache de porte - L'attaccante piastra - Sluitplaat voor deurslot - Lukuvastus			1		
HS90	fixation gache de porte - Vite per cerniera a piastra - Schroef voor slotplaat - Kruvi ukse luku vasturauale			2	4x25	
HS33	Screw for door jamb - Schraube für türrahmen - Vis de fixation partie haute avec montants du cadre de porte - Viti x fissaggio montanti porte - Schroef voor deurkozijn - Kruvi ukse lengile			8	5x40	
	Pin - Pin - Épingle - Perno - Pin - Tihvt			6		











04


6




04

6







05




05







06




06







07



A=B



08



09

