



INSTRUCTIONS

General

ATTENTION! Observe the safety and assembly instructions in order to avoid the risk of injury or damaging the product.

Only for domestic use and not for commercial use!

Important: Read these instructions carefully and thoroughly. Keep these instructions to read through at a later date. If you give the product to anyone else at some point in the future, please ensure you also pass on this manual.

Keep small parts out of the reach of children. Pay attention especially when unpacking it. Keep plastic bags and other packaging away from children reach. Danger of Suffocation!

Check the delivery for completeness. Later complaints cannot be accepted.

Check all elements and parts for damages. Despite careful checks since may happen that even the best product takes damage during the transport. In this case, do not build up of your product. Defective parts can endanger your health.

Never modify the product! Changes will void the warranty and the product may be unsafe or even dangerous.

For cleaning use a sponge and warm soapy water. Do not use solvent basedcleaners or detergents for example Bleach those can damage the product.

Unpack all the parts and elements of the set and place the components on the top of the carton or other clean surface. This protects your new product. This protects your new product.

Please also pay attention not toscratch the floor while working with tools.

Make sure that this product is fully assembled before use, as shown on the illustration.

Initial Operation

- Connect the connecting piece (3) to the pressure washer spray gun (4).
 Turn it by 90°C until it engages (bayonet joint).
- Switch on the pressure washer and squeeze the trigger on the spray gun (B4)
- Whilst the nozzle head (2) is moving through the pipe cleaning hose (1) manually.
- To release blockages, squeeze the trigger several times in a row then release it.

Intended purpose

The pipe cleaning set clears blockages from pipes, down pipes, drains and toilets.


The equipment is suitable for the following pipes:

- Curve C no more than 90°.
- Diameter D at least 40 mm.
- Radius R at least 70mm.

The operator or user is responsible for accidents or damages to other people or their property. The manufacturer is not liable for damages caused by use other than for the intended purpose or improper operation.

Übersicht

- 1 Pipe cleaning hose
- 2 Nozzle head (2PCS)
- 3 Connecting piece (3PCS)
- 4 Pressure washer jet gun (sold separately)



Safety information

- Pressure washers can be dangerous if used incorrectly. Do not direct the jet ar people, animals, live electrical equipment or the equipment itself.
- Operation of the equipment is not permit¬ted for people under the age of 16.
- Wear goggles to protect your eyes against loose dirt while working.
- To avoid damage and personal injury, only use the unit on leak-tight pipes and drains that are resistant to pressure
- Do not leave equipment unattended in the workplace.
- Switch on the pressure washer only when the pipe cleaning hose is at least up to the red marking in the pipe to be cleaned.
- The maximum washing temperature must not exceed 60°C. The hose could be damaged.

Functional description

The pipe cleaning set comprises a nozzle head and a 15m/30m long, flexible hose, which can be connected to a pressure washer. The hose is moved through the pipe by the four high-pressure jets that are directed backwards and the blockage is released by the water jet.

Technical specifications

High-pressure hose

NO.	405175	405176
Length	15m	30m
Max. Pressure	400 bar	
Intake temperature	max. 60°C	

Cleaning/Maintenance/Storage

- · Clean the equipment with a damp cloth.
- The equipment is maintenance free.
- · Keep the equipment in a frost-proof area.

Disposal:

Once item end-of-life, please dispose valuable raw materials for a proper recycling. If you are not sure how to handle it in a correct way please contact your local disposal or recycling centers for advice.

