


Pos	Specification-Spezifikation-Specificatie-Nomenclature-Elementi-Especification Maria 40 SD	Qty	Profile (mm)	Lenght (mm)
001	100 2720 100	2	40x57	3000
002	550 100	32	40x114	690
003	100 2720 100 	1	40x114	3000
004	1600 2720 100	2	40x114	4500
005	1600 2720 100 [] [](二)	1	40x114	4500
006	100 2720 100 レード ドレー ドレー	14	40×114	3000
007	1600 2720 100 DHH_	1	40x114	4500
008	100 2220 100 	32	40x114	2500
EXTRA	100 2720 100 L	1	40x114	3000
WB-1	9° 	1		
WC-1	9° <u>9°</u> <u>9°</u> <u>9°</u> <u>9°</u> <u>9°</u> <u>9°</u> <u>9°</u> <u>9°</u> <u>9°</u> <u>9°</u> <u>9°</u> <u>9°</u> <u>9°</u> <u>9°</u> <u>9°</u> <u>9°</u> <u>9°</u> <u>9°</u> <u>9°</u> <u>9°</u> <u>9°</u> <u>9°</u> <u>9°</u> <u>9°</u> <u>9°</u> <u>9°</u> <u>9°</u> <u>9°</u> <u>9°</u> <u>9°</u> <u>9°</u> <u>9°</u> <u>9°</u> <u>9°</u> <u>9°</u> <u>9°</u> <u>9°</u> <u>9°</u> <u>9°</u> <u>9°</u> <u>9°</u> <u>9°</u> <u>9°</u> <u>9°</u> <u>9°</u> <u>9°</u> <u>9°</u> <u>9°</u> <u>9°</u> <u>9°</u> <u>9°</u> <u>9°</u> <u>9°</u> <u>9°</u> <u>9°</u> <u>9°</u> <u>9°</u> <u>9°</u> <u>9°</u> <u>9°</u> <u>9°</u> <u>9°</u> <u>9°</u> <u>9°</u> <u>9°</u> <u>9°</u> <u>9°</u> <u>9°</u> <u>9°</u> <u>9°</u> <u>9°</u> <u>9°</u> <u>9°</u> <u>9°</u> <u>9°</u> <u>9°</u> <u>9°</u> <u>9°</u> <u>9°</u> <u>9°</u> <u>9°</u> <u>9°</u> <u>9°</u> <u>9°</u> <u>9°</u> <u>9°</u> <u>9°</u> <u>9°</u> <u>9°</u> <u>9°</u> <u>9°</u> <u>9°</u> <u>9°</u> <u>9°</u> <u>9°</u> <u>9°</u> <u>9°</u> <u>9°</u> <u>9°</u> <u>9°</u> <u>9°</u> <u>9°</u> <u>9°</u> <u>9°</u> <u>9°</u> <u>9°</u> <u>9°</u> <u>9°</u> <u>9°</u> <u>9°</u> <u>9°</u> <u>9°</u> <u>9°</u> <u>9°</u> <u>9°</u> <u>9°</u> <u>9°</u> <u>9°</u> <u>9°</u> <u>9°</u> <u>9°</u> <u>9°</u> <u>9°</u> <u>9°</u> <u>9°</u> <u>9°</u> <u>9°</u> <u>9°</u> <u>9°</u> <u>9°</u> <u>9°</u> <u>9°</u> <u>9°</u> <u>9°</u> <u>9°</u> <u>9°</u> <u>9°</u> <u>9°</u> <u>9°</u> <u>9°</u> <u>9°</u> <u>9°</u> <u>9°</u> <u>9°</u> <u>9°</u> <u>9°</u> <u>9°</u> <u>9°</u> <u>9°</u> <u>9°</u> <u>9°</u> <u>9°</u> <u>9°</u> <u>9°</u> <u>9°</u> <u>9°</u> <u>9°</u> <u>9°</u> <u>9°</u> <u>9°</u> <u>9°</u> <u>9°</u> <u>9°</u> <u>9°</u> <u>9°</u> <u>9°</u> <u>9°</u> <u>9°</u> <u>9°</u> <u>9°</u> <u>9</u> <u>9</u> <u>9</u> <u>9</u> <u>9</u> <u>9</u> <u>9</u> <u>9</u>	1		
RT1	RAFTER-SPARREN-DAKSPAR-CHEVRON-TRAVE-CABRIO	1	44x144	2267
PL1	PURLIN-DAKBALK-DACHPFETTE-PANNE-ARCARECCIO-CORREA 1516 2720 100	2	44x144	4416
R-1	Roof board-Dachbrett-Dakplank-Volige-Tavola tetto-Tabla de tejado	52+1 39+1	88x18 114x18	- 2750
	-POST 8.5x8.5	1	85x85	1700
	-POST 8.5x8.5	1	85x85	2040
GB-1	Gable board 120-Giebelblende-Gevelplank-Planche de rive-Tavola di bordo-Tabla de borde	2	18x120	2790
GB-2	Gable board 120-Giebelblende-Gevelplank-Planche de rive-Tavola di bordo-Tabla de borde	2	18×120	4536
SS-1	Storm slat kit-Sturmleiste satz-Stormanker set-Kit de latte anti tempéte-Kit listello di tempesta-Kit liston anti tormenta 2xø6x45	4	18×40	2000
	Adjustable foot kit-Pfostenträger-Paalhouder-Pied de poteau-Portapilastri-Base para poste	2		
C8x80	Coach screw kit 8x80-Holzschraube-Houtdraadbout-Tirefond-Vite tirafondo-Tornillo entrenador	8	8x80	
	Double door kit ISO-Doppeltür satz-Dubbele deur set-Kit double porte-Kit porta-Kit para puerta 2xø3x25 4xø5x90	1		
	Nail 1.6x30-Nagel-Spijker-Clou-Chiodo-Clavo	15	1.6x30	
Kood	Maria 40 SD Materjal File Maria 40 SD.dwg	•	Leht 1	1/2

Pos	Specification-Spezifikation-Specificatie-Nomenclature-Elementi-Especification			Qty	Profile	Lenght
	Maria 40 SD				(mm)	(mm)
	Nail 1.8x40-Nagel-Spijker-	Clou-Chiodo-Clavo	0	230	1.8x40	
	Ventilation panel kit-Auße ventilazione-Rejilla de ven	ngitter-Schoepenrooster-Panneau de tilacion	ventilation-Griglia di	1		
		DOOR 1600x1850 DD06-6 H 1600x1850-40 ISO		1		
Kood	Maria 40 SD	Materjal	File Maria 40 SD.dwg		Leht 2	/2



<u> </u>	0.5m 1.0m 2.0				
Model	Maria 40 SD	Drawing	ROOF		Page
Alp hol		Drawn by	R.T	Material 40×114	^{Scale} 1:30
		Date	10.05.2023	^{File} Maria 40 SD.dwg	

