







Détrompeur limon droit




Détrompeur limon gauche



1	20153		32 x 190 x 3788 mm	x1
2	20154		32 x 190 x 3788 mm	x1
3	20151		32 x 190 x 718 mm	x14

A	72033		Ø5 x 60 mm	x28
B	72225		Ø4,5 x 30 mm	x8
C	72648		80 x 40 x 40 mm	x4




$X = (?) \dots\dots \text{mm}$

$X = 3045 \rightarrow$


$X < 3045 \rightarrow$

3045 mm max



X (mm)	H (mm)	F (mm)	R (mm)	P
$X = 3045$	3045	2935	2294	\
$2839 \leq X \leq 3045$	2839	2729	2139	1
$2633 \leq X \leq 2839$	2633	2523	1983	2
$2427 \leq X \leq 2633$	2427	2317	1828	3
$2221 \leq X \leq 2427$	2221	2111	1673	4
$2015 \leq X \leq 2221$	2015	1905	1517	5
$1809 \leq X \leq 2015$	1809	1699	1362	6
$1603 \leq X \leq 1809$	1603	1493	1207	7
$1397 \leq X \leq 1603$	1397	1287	1052	8
$1191 \leq X \leq 1397$	1191	1081	896	9
$985 \leq X \leq 1191$	985	875	741	10
$779 \leq X \leq 985$	779	669	586	11
$573 \leq X \leq 779$	573	463	431	12
$367 \leq X \leq 573$	367	257	275	13
$160 \leq X \leq 367$	160	\	120	14

2





X = mm

exemple* : x = 2305 mm



X (mm)	H (mm)	F (mm)	R (mm)	P
X = 3045	3045	2935	2294	\
$2839 \leq X \leq 3045$	2839	2729	2139	1
$2633 \leq X \leq 2839$	2633	2523	1983	2
$2427 \leq X \leq 2633$	2427	2317	1828	3
$2221 \leq X \leq 2427$	2221	2111	1673	④
$2015 \leq X \leq 2221$	2015	1905	1517	5
$1809 \leq X \leq 2015$	1809	1699	1362	6
$1603 \leq X \leq 1809$	1603	1493	1207	7
$1397 \leq X \leq 1603$	1397	1287	1052	8
$1191 \leq X \leq 1397$	1191	1081	896	9
$985 \leq X \leq 1191$	985	875	741	10
$779 \leq X \leq 985$	779	669	586	11
$573 \leq X \leq 779$	573	463	431	12
$367 \leq X \leq 573$	367	257	275	13
$160 \leq X \leq 367$	160	\	120	14

* ejemplo, exemplo, esempio, voorbeeld, example, Beispiel.


b





c




d



3



4



Appliquer un produit d'entretien (lasure, peinture) sur toutes les pièces afin de garantir la bonne tenue dans le temps de votre produit.

Aplicar un producto de mantenimiento (lasur, pintura) para asegurar un buen rendimiento en el tiempo, de su producto.





Aplicar um produto de manutenção (pintura,...) para garantir a duração do seu produto no tempo.


Applicare un prodotto di mantenimento (pittura...) per garantire una buona tenuta nel tempo del vostro prodotto.

Breng een onderhoudsproduct (beits, verf) aan zodat uw product lange tijd kan meegaan.

Apply a cleaning product (tint, paint) in order to guarantee the good quality of the product in the time.

Ein Pflegemittel (Lasur, Farbe) auf alle Teile auftragen, um die Dauerhaftigkeit von Ihrem Produkt zu garantieren.





Fixer l'escalier à la dalle et au mur avec des accessoires d'ancrage adaptés.

Fijar la escalera a la losa y al muro con accesorios de anclaje adaptados.

Fixar a escada na laje e na parede com os acessórios de ancoragem adaptados.

Fissare la scala alla mattonella e al muro con gli appositi elementi di ancoraggio.

Bevestig de trap met de geschikte bevestigingsaccessoires aan de plaat en de muur.

Fasten the staircase to the floor and wall using suitable fastening accessories.

Befestigen Sie die Treppe mit geeignetem Verankerungszubehör an der Bodenplatte und der Wand.

