

BELA

22020
22040


oktaplex
motion



DE - Montageanleitung
FR - Instructions de montage
ES - Instrucciones de montaje
IT - Istruzioni per il montaggio

NL - Montage-instructies
SE - Monteringsanvisningar
CZ - Návod k montáži
SK - Návod na montáž

RO - Instrucțiuni de montaj
PL - Instrukcje montażu
GB - Mounting instructions
PT - Instruções de montagem



60 s

Einschaltverzögerung/
switch-on delay



WhatsApp



Dämmerungssensor für Innen und Außen / Capteur crépusculaire l'intérieur et l'extérieur / Sensor crepuscular para interiores y exteriores / Sensore crepuscolare per interni ed esterni / Schemersensor voor binnen en buiten / Skymningssensor för inomhus och utomhus / Soumrakový senzor pro interiér i exteriér / Súmrakový senzor pre interiér a exteriér / Senzor crepuscular pentru interior și exterior / Czujnik zmierzchu w pomieszczeniach i na zewnątrz / Twilight sensor for indoors and outdoors / Sensor crepuscular para interiores e exteriores

22020
22040

Nennspannung / Tension nominale / Tensión nominal / Tensione nominale / Nominaal voltage / Märkspänning / Jmenovit  nap t  / Menovit  nap tie / Tensiunea nominal  / Napi cie nominalne / rated voltage / Tens o nominal

AC 220-240 V
50-60Hz

Nennleistung / Puissance nominale / Potencia nominal / Potenza nominale / Nominaal vermogen / M rkeffekt / Jmenovit  v kon  / Menovit  v kon / Putere nominal  / Moc znamionowa / rated power / Pot ncia nominal

0,5 W

Maximale Leistungsaufnahme / Consommation  lectrique maximale / Consumo m ximo de energ a / Massimo consumo di energia / Maximaal stroomverbruik / Maximal str mf rbrukning / Maxim ln  spot eba energ e / Maxim ln  spotreba energ e / Consum maxim de energ e / Maksymalne zu ycie energii / Maximum power consumption / Consumo m ximo de energ a

 1200 W

 600 W

Maximaler Nennstrom / Courant nominal maximal / Corriente nominal m xima / Corrente nominale massima / Maximale nominale stroom / Maximal nominell str m / Maxim ln  jmenovit  proud / Maxim ln  menovit  pr d / Curent nominal maxim / Maksymalny pr d znamionowy / Maximum rated current / Corrente nominal m xima

10 A

Schutzklasse / Indice de protection / Clase de protecci n / Classe di protezione/ Beschermingsklasse / Skyddsklass / Tr da ochrany / Trieda ochrany / Clasa de protec ie / Klasa ochrony / Protection class / Classe de protec o

II



Schutzart / Indice de protection IP / grado de protecci n / Livello di protezione IP / IP mate van bescherming / IP-klass / Stupe  ochrany / Stupe  IP ochrany / Clasa de protec ie IP / Klasa ochrony IP / Protection class / Tipo de protec o

IP65


Umgebungstemperatur / Temp rature ambiante / Temperatura ambiente / Temperatura ambiente / Omgevingstemperatuur / Omgivningstemperatur / Okoln  teplota / Okoln  teplota / Temperatura ambiant  / Temperatura otoczenia/ Ambient temperature / Temperatura ambiente

-20  C~ +40  C


1



2




i




INSTALLATION


3




i



4




5




INSTALLATION

Option 1





i max. Load
1200 W
600 W

Option 2




SETTINGS



LUX



Time



! Info - Indicator

1 x flash = TIME 1h


⋮

9 x flash = TIME 9h


10 x flash =
DUSK TO DAWN

indicator lights up
when the twilight
sensor switches.

⌚ 60 s switch-on
delay



INSTALLATION



don't place sensor under light



ETAPLEX GmbH · Höherweg 245 · 40231 Düsseldorf · Germany
+49 211 9726 4070 · info@etaplex.de · oktaplex.de